

## Save on QUVIVIQ

Experience the QUVIVIQ difference. When taken every night, **QUVIVIQ** led to improved sleep over time.\*

\*In clinical trials, improvements measured at months 1 and 3.

Simply bring this copay card to the pharmacy when picking up your prescription to start saving.

RxBIN: 019158 ID: 59933150709

RxPCN: CNRX







Get your first 30-day supply of QUVIVIQ for as little as \$0

and refills for as little as \$25\*

\*For eligible commercially insured patients. Terms and conditions apply. Please read the full terms and conditions.

CUT ALONG THE DOTTED LINE

ELIGIBILITY REQUIREMENTS: You may be eligible if: (1) you are insured by commercial insurance and your prescription insurance coverage does not cover the full cost of your prescription; (2) you do not have prescription insurance coverages through a state or federal healthcare program, including but not limited to Medicare Part D. Medicaid, Medigap, Veterans Affairs (VA), or Department of Defense (DOU) programs, patients who move from commercial insurance plans to staff or federal healthcare programs will maistrance plans to staff or federal healthcare programs will may be a considered to the control of the control

TERMS OF USE: Eligible commercially insured patients with a valid prescription for QUVMIQ (daridorexant) 25 mg and 50 mg who present this savings card at participating pharmacies may pay as little as \$5 for their first fill, and \$25 for subsequent fills for a 30-day supply. Maximum assivings are supply to the saving supply for a subsequent fills for a 30-day supply. Maximum assivings the probability of the saving supply for the saving supply. The patient is responsible for applicable taxes—vold where prohibited by law, taxed, or restricted, and other restrictions may apply. Patients, pharmacists, and prescribers cannot save kernium summer from the altin insurance or any third party seek reimbursement from health insurance or any third party offer. All copay payments are for the benefit of the patient only, Idorsia reserves the right to rescind, revoke, or amend this offer, eligibility, and terms of use at any time without notice. Must present offer along with a valid prescription at the other passes call 1-866-303-122Z.

on behalf of Idorsia.

Pharmacist Instructions for a Patient with an Eligible Third Party: For Insured/Covered Patients: Submit the claim to the primary IT methar by Sper first, then submit the balance in the primary IT methar by Sper first, then submit the balance responsibility amount and a valid Other Coverage Code of Os. First Preception. Patient pages \$50 for a 30-bt day supply.

Subsequent Fills: Patient pays \$25 for a 30-day supply.

The pharmacist balance of the primary of the patients of the patients.

The pharmacist will receive reimbursement from SS&C Health. Pharmacist Instructions for Insured/Not Covered Patients: Submit the claim to the primary Third-Party Payer first; if the primary claim submission shows a managed-care restriction (atep-edit, prior authorization, or NDC block), continue the SS&C Health as a Secondary Payer COB with patient or responsibility amount and a valid Other Coverage Code of 0.8. First Prescription: Patient paye SiG or a 30 day supply. The pharmacist will receive reimbursement from SS&C Health. For any questions regarding SS&C Health online processing, please call the Help Desk at 1-844-373-0987.

©2024 Idorsia Pharmaceuticals, Ltd. US-DA-00308 03/24

CUT ALONG THE DOTTED LINE -



Get access to helpful tools, resources, and everything you'll need to get started with QUVIVIQ - join Q&You today at

### QUVIVIQ.com/JoinQ

If you have questions on QUVIVIQ, contact us at (833) 248-0021 (Monday-Friday, 8 AM-8 PM ET).

### What is QUVIVIQ (daridorexant)?

QUVIVIQ is a prescription medicine for adults who have trouble falling asleep or staying asleep (insomnia).

### **Important Safety Information**

Do not take QUVIVIQ if you fall asleep often at unexpected times (narcolepsy) or if you are allergic to QUVIVIQ or any of its ingredients.

Please see additional Important Safety Information on the following page and full Prescribing Information and Medication Guide.

### **Important Safety Information (cont'd)**

## QUVIVIQ may cause serious side effects, including:

- Decreased awareness and alertness.
   The morning after you take QUVIVIQ, your ability to drive safely and think clearly may be decreased. You may also have sleepiness during the day.
  - Do not take more QUVIVIQ than prescribed.
  - Do not take QUVIVIQ unless you are able to stay in bed for at least 7 hours before you must be active again.
  - Take QUVIVIQ at night within 30 minutes before going to bed.

QUVIVIQ is a federally controlled substance because it can be abused or lead to dependence.

## Before taking QUVIVIQ, tell your healthcare provider about all of your medical conditions, including if you:

- have a history of depression, mental illness, or suicidal thoughts or actions; drug or alcohol abuse or addiction; a sudden onset of muscle weakness (cataplexy); daytime sleepiness
- have lung or breathing problems, including sleep apnea
- have liver problems
- are pregnant or plan to become pregnant
- are breastfeeding or plan to breastfeed

# **Tell your healthcare provider about all of the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

- Taking QUVIVIQ with certain medicines can cause serious side effects. QUVIVIQ may affect the way other medicines work and other medicines may affect the way QUVIVIQ works.
- Do not take QUVIVIQ with other medicines that can make you sleepy unless instructed by your healthcare provider.

Please see full <u>Prescribing Information</u> and Medication Guide.

#### What should I avoid while taking QUVIVIQ?

- Do not drink alcohol while taking QUVIVIQ. It can increase the effects of alcohol, which can be dangerous.
- Do not drive, operate heavy machinery, do anything dangerous, or do other activities that require clear thinking if you do not feel fully awake, or you have taken QUVIVIQ and have less than a full night of sleep (at least 7 hours), or if you have taken more QUVIVIQ than prescribed.

## QUVIVIQ may cause other serious side effects, including:

- Worsening depression and suicidal thoughts. Call your healthcare provider right away if you have any worsening depression or thoughts of suicide or dying.
- Temporary inability to move or talk (sleep paralysis) for up to several minutes, or hallucinations while you are going to sleep or waking up.
- Complex sleep behaviors such as sleepwalking, sleep-driving, preparing and eating food, making phone calls, having sex or doing other activities while not fully awake that you may not remember the next morning. Stop taking QUVIVIQ and call your healthcare provider right away if you experience a complex sleep behavior.

### The most common side effects of QUVIVIQ are headache and sleepiness.

These are not the only side effects of QUVIVIQ. Call your doctor for advice about side effects.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit <a href="https://www.fda.gov/medwatch">www.fda.gov/medwatch</a> or call 1-800-FDA-1088.



